

(FILE 'HOME' ENTERED AT 12:30:49 ON 23 FEB 2000)

FILE 'USPATFULL' ENTERED AT 12:30:56 ON 23 FEB 2000

SET PLURAL ON

SET HIGHLIGHT OFF

L1 2537 S (AUOTOMOBILE OR AUTOMOTIVE) AND (FUEL OR GAS OR GASOLINE) (W)T
L2 2537 S (AUOTOMOBILE OR AUTOMOTIVE) AND ((FUEL OR GAS OR GASOLINE) (W)
L3 95630 S AUTOMOBILE
L4 66098 S AUTOMOTIVE
L5 140410 S L3 OR L4
L6 18950 S (FUEL OR GAS OR GASOLINE) (W)TANK
L7 5083 S L5 AND L6
L8 1209 S L7 AND (LEAK OR LEAKAGE)
L9 153 S L8 AND (EQUATION OR FORMULA)
SET HIGHLIGHT ON
L10 1 S L9 AND (PRESSURE(P)TEMPERATURE(P) (DECAY OR DECAYING))
L11 7 S L9 AND (DECAY OR DECAYING)

FILE 'USPATFULL' ENTERED AT 12:30:56 ON 23 FEB 2000

SET PLURAL ON

SET HIGHLIGHT OFF

L1 2537 S (AUOTOMOBILE OR AUTOMOTIVE) AND (FUEL OR GAS OR GASOLINE) (W) T
L2 2537 S (AUOTOMOBILE OR AUTOMOTIVE) AND ((FUEL OR GAS OR GASOLINE) (W)
L3 95630 S AUTOMOBILE
L4 66098 S AUTOMOTIVE
L5 140410 S L3 OR L4
L6 18950 S (FUEL OR GAS OR GASOLINE) (W) TANK
L7 5083 S L5 AND L6
L8 1209 S L7 AND (LEAK OR LEAKAGE)
L9 153 S L8 AND (EQUATION OR FORMULA)
SET HIGHLIGHT ON
L10 1 S L9 AND (PRESSURE (P) TEMPERATURE (P) (DECAY OR DECAYING))

(FILE 'HOME' ENTERED AT 09:56:39 ON 24 FEB 2000)

FILE 'USPATFULL' ENTERED AT 09:56:48 ON 24 FEB 2000

SET PLURAL ON

L1	28683 S TANK AND (LEAK OR LEAKAGE)
L2	3517 S L1 AND PRESSURE(W) (GAUGE OR SENSOR OR TRANSDUCER)
L3	744 S L2 AND TEMPERATURE(W) (GAUGE OR SENSOR OR TRANSDUCER)
L4	3 S L3 AND (PV(2A)NRT)